

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L2    | 741  | 709/245.ccls.   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB                   | OR               | OFF     | 2005/03/28 17:54 |
| L3    | 1773 | (709/219).CCLS.   | USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB         | OR               | OFF     | 2005/03/28 17:54 |
| L4    | 2595 | (709/203).CCLS.   | USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB         | OR               | OFF     | 2005/03/28 17:54 |
| L5    | 4372 | L2 or L3 or L4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/03/28 17:54 |
| L6    | 286  | (location\$4 near3 dependant\$4)                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/03/28 17:55 |
| L7    | 0    | (location\$4 near3 dependant\$4)<br>and send\$4 adj4 content\$2 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/03/28 17:55 |
| S1    | 2107 | name and address and "telephone<br>number" and (e\$mail)        | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB                   | OR               | OFF     | 2004/04/28 15:10 |
| S2    | 1481 | name with address and "telephone<br>number" and (e\$mail)       | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB                   | OR               | OFF     | 2004/04/28 15:10 |
| S3    | 719  | name with address with "telephone<br>number" and (e\$mail)      | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB                   | OR               | OFF     | 2004/04/28 15:10 |
| S4    | 383  | name with address with "telephone<br>number" with (e\$mail)     | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB                   | OR               | OFF     | 2004/04/28 15:10 |
| S5    | 416  | name same address with<br>"telephone number" with (e\$mail)     | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB                   | OR               | OFF     | 2004/04/28 15:10 |

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S6  | 383  | name with address with "telephone number" with (e\$mail)                             | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/28 15:10 |
| S7  | 12   | name with address with "telephone number" with (e\$mail) and (longitude or latitude) | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/28 15:11 |
| S8  | 10   | cookie same (latitude or longitude)  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/28 17:40 |
| S9  | 606  | 709/245.ccls.  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/21 17:23 |
| S10 | 3497 | "spatial location"   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 13:36 |
| S11 | 6    | 709/245.ccls. and (GPS or "global position system" or "spatial location")            | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 16:14 |
| S12 | 1643 | 709/217.ccls.  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 14:41 |
| S13 | 1450 | (709/219).CCLS.  | USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 20:45 |
| S14 | 2103 | (709/203).CCLS.  | USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/19 14:41 |
| S15 | 13   | 709/245.ccls. and 709/217.ccls. and ((709/219).CCLS.) and ((709/203).CCLS.)          | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 14:44 |
| S16 | 39   | 709/217.ccls. and (GPS or "global position system" or "spatial location")            | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 16:14 |
| S17 | 31   | ((709/203).CCLS.) and (GPS or "global position system" or "spatial location")        | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 14:47 |

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| S18 | 19   | ((709/219).CCLS.) and (GPS or "global position system" or "spatial location")   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 14:47 |
| S19 | 1040 | 701/213.ccls.   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 16:14 |
| S20 | 992  | 701/213.ccls. and (GPS or "global position system" or "spatial location")   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 16:15 |
| S21 | 40   | 701/213.ccls. and (GPS or "global position system" or "spatial location") and (calculat\$4 or determin\$5) adj4 (speed or velocity) with (direction\$2)                       | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/19 16:22 |
| S22 | 0    | 701/213.ccls. and (GPS or "global position system" or "spatial location") and (calculat\$4 or determin\$5) adj4 (speed or velocity) with (direction\$2) and "provide service" | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/21 18:06 |
| S23 | 370  | (701/214).CCLS.   | USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/19 16:23 |
| S24 | 275  | (701/215).CCLS.   | USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/19 16:23 |
| S25 | 106  | (701/216).CCLS.   | USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/19 16:23 |
| S26 | 2    | latitude and longitude with cookie\$2   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/21 17:24 |
| S27 | 702  | latitude and longitude and server\$2 and service\$2   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/21 17:24 |
| S28 | 7    | latitude and longitude and server\$2 and service\$2 and "device configuration"  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/04/21 17:31 |

|     |      |   |                                       |    |     |                  |
|-----|------|---|---------------------------------------|----|-----|------------------|
| S29 | 13   | latitude and longitude and ("device configuration" or "configuration request")  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 17:34 |
| S30 | 2    | latitude and longitude and ("configuration request")  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 17:35 |
| S31 | 679  | latitude and longitude and (configur\$6) with (device\$2 or request\$4)   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 17:35 |
| S32 | 267  | latitude and longitude and (configur\$6) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2))   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 17:36 |
| S33 | 143  | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2))   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 17:43 |
| S34 | 93   | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/ or "707"/)                  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 17:43 |
| S35 | 86   | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/)                            | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 15:31 |
| S36 | 70   | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/) and (rout\$4 or rerout\$4) | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 17:48 |
| S37 | 66   | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/) and (route or reroute)     | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 15:31 |
| S38 | 6078 | (calculat\$4 or determin\$4) adj4 (speed or velocity) with direction  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 18:07 |

|     |      |  |                                       |    |     |                  |
|-----|------|--|---------------------------------------|----|-----|------------------|
| S39 | 1852 | (calculat\$4 or determin\$4) adj1<br>(speed or velocity) with direction  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 18:08 |
| S40 | 125  | (calculat\$4 or determin\$4) adj1<br>(speed or velocity) with direction<br>and (GPS or longitude or latitude or<br>"spatial location" or "spatial<br>coordinate")  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 18:22 |
| S41 | 9    | (calculat\$4 or determin\$4) adj1<br>(speed or velocity) with direction<br>and (GPS or longitude or latitude or<br>"spatial location" or "spatial<br>coordinate") and server   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/21 18:09 |
| S42 | 1826 | (rerout\$4 or rout\$4) adj3<br>configuration   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 19:28 |
| S43 | 2    | (rerout\$4 or rout\$4) adj3<br>configuration adj2 request  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 19:28 |
| S44 | 71   | latitude and longitude and<br>(configuration) with (device\$2 or<br>request\$4) and (request\$4 adj3<br>(information\$2 or data\$2 or<br>service\$2)) and ("709"/ or "705"/ or<br>"701"/) and (rout\$4 or rerout\$4) | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 19:52 |
| S45 | 528  | "multiple server"  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 19:53 |
| S46 | 1    | "multiple server" and configuration<br>adj2 request  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 19:55 |
| S47 | 280  | "multiple server" and configuration  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 19:56 |
| S48 | 8024 | identifier with device   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 20:46 |
| S49 | 163  | identifier with device and (longitude<br>or latitude or "spatial location")  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 20:46 |

|     |       |  |                                       |    |     |                  |
|-----|-------|--|---------------------------------------|----|-----|------------------|
| S50 | 108   | identifier with device and (longitude or latitude or "spatial location") and updat\$4                              | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 20:58 |
| S51 | 9     | identifier with device and (longitude or latitude or "spatial location") and updat\$4 adj1 database                | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/27 20:59 |
| S52 | 64814 | device with identif\$4   | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 10:15 |
| S53 | 73508 | device\$2 with identif\$4  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 10:15 |
| S54 | 1133  | device\$2 with identif\$4 and (longitude or latitude or "spatial location")  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 10:15 |
| S55 | 156   | device\$2 with identif\$4 and (longitude or latitude or "spatial location") and ("709"/ or "705"/ or "707"/)       | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 10:16 |
| S56 | 77    | device\$2 with identif\$4 and (longitude or latitude or "spatial location") and ("709"/ or "705"/ or "707"/).ccls. | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 10:16 |
| S57 | 2     | "6629136".pn.  | USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 11:22 |